

\$5.00

AL.2.1989-217

Synopsis of the
Parasites of
Vertebrates
of Canada

Edited by Murray J. Kennedy

Parasites of
Marine Mammals

Leo Margolis

Hisao P. Arai



National Library
of Canada

Bibliothèque nationale
du Canada

Other titles in this series —

Synopsis of the Parasites of Vertebrates of Canada
— Helminths and Protozoa of Terrestrial Mammals
Murray J. Kennedy, 1986

Synopsis of the Parasites of Vertebrates of Canada
— Ectoparasites of Terrestrial Mammals
Murray J. Kennedy and Robert A. Newman, 1986

Synopsis of the Digenea of Mammals of North America
Murray J. Kennedy, 1988

Synopsis of the Parasites of Domesticated Mammals of Canada
Murray J. Kennedy, 1988

Copies of these publications are available from the

Queen's Printer, 11510 Kingsway Avenue, Edmonton T5G 2Y5

Each order for a copy of this publication must be accompanied by a cheque for \$5.00 made out to
The Provincial Treasurer

CHINABANA
MAY - 1 1989

Synopsis of the Parasites of Vertebrates of Canada

Edited by Murray J. Kennedy¹

Parasites of Marine Mammals

Leo Margolis²

Hisao P. Arai³

¹ Alberta Agriculture
Veterinary Laboratory
6909 - 116 Street
Edmonton, Alberta
Canada T6H 4P2

² Department of Fisheries and Oceans
Biological Sciences Branch
Pacific Biological Station
Nanaimo, British Columbia
Canada V9R 5K6

³ Department of Biological Sciences
University of Calgary
Calgary, Alberta
Canada T2N 1N4



National Library
of Canada

Bibliothèque nationale
du Canada

Alberta

AGRICULTURE

Animal Health Division

890723

Synopsis of the Parasites of Vertebrates of Canada

Edited by Henry J. Lumedy

Parasites of Marine Mammals

Co-Editor

David R. Bell

Senior Lecturer

University of London

100 - 17th Street

London, Ontario

Canada N6A 1K2

Department of Fisheries and Oceans

Biological Sciences Branch

Fisheries Biological Station

Halifax, Nova Scotia

Barrington Street

Department of Zoology

University of Guelph

Ontario, Canada

Canada N1G 2W1

Copyright © 1988 by the author(s)

Printed in Canada by the author(s)

Library of Congress Cataloging in Publication


Parasites of marine mammals / Henry J. Lumedy, ed.

1. Parasites - Canada. I. Lumedy, Henry J., ed.

II. Title. III. Series. Q667.P37 L85 1988

Library of Congress Cataloging in Publication

Parasites of marine mammals / Henry J. Lumedy, ed.



CCSTE
CANADIAN COUNCIL OF SCIENTIFIC AND TECHNICAL EDITORS

Abstract

This synopsis contains Parasite-Host and Host-Parasite lists for 74 species of parasites from 26 species (1 with 2 subspecies) of marine mammals from Canadian waters. The 74 species are distributed among higher taxa as follows: Protozoa - 2; Trematoda - 9; Cestoidea - 9; Nematoda - 24; Acanthocephala - 10; Copepoda - 1; Amphipoda - 13; Anoplura - 3; and Acarina - 3. Eighteen previously unpublished host-parasite-locality records are added to the faunal records, including five species (one unnamed) previously unreported from Canadian waters: *Hadwenius nipponicus* (Trematoda), *Placentonema gigantissima* (Nematoda), *Corynosoma ?similis* (Acanthocephala), and *Orthohalarachne attenuata* (Acarina). *Cyamus boopis* (Amphipoda) from *Balaenoptera physalus* in Atlantic waters appears to be a new host-parasite record.

Forward

Records of parasites found in Canadian animals go back almost 200 years, when de La Martinière (1787) described a monogenean from a fish taken off the west coast of Vancouver Island during the La Perouse Expedition, while more comprehensive faunal lists date back to the 1850s e.g. Stimpson (1854). Margolis and Arthur (1979) in their introduction to the *Synopsis of the Parasites of Fishes of Canada* outlined the steady increase in volume in investigations into fish parasites and a similar escalation is apparent when one considers other vertebrate host taxa: Amphibians, Reptiles, Birds and Mammals.

The possibility of producing a synoptic coverage of parasites of animals of Canada was first raised at a meeting of the Executive Committee of the Parasitology Section of the Canadian Society of Zoologists in 1978 by Leo Margolis. A committee was established to examine the feasibility of the proposal. In 1982, Smith and Addison published a *Bibliography of Parasites and Diseases of Ontario Wildlife*, which provided an extensive coverage of known pathogens (including bacteria, fungi, rickettsiae, helminths, insects, arachnids, "anatomical disorders", "environmental contaminants", genetic, nutritional and reproductive disorders, protists and viruses). With the publication of the above synopsis and bibliographies (Margolis and Arthur, 1979 and Smith and Addison, 1982) the worth of providing synopses/bibliographies of the parasites of all vertebrate groups in Canada became increasingly obvious. Thus, in 1983 the question of the synopsis was resuscitated and the Executive Committee of the Parasitology Section under the Chairmanship of Charles Tanner approved coverage of the vertebrate hosts.

The Executive Committee had hoped to publish the synopsis in 1986 to commemorate the 25th anniversary of the Canadian Society of Zoologists. Unfortunately lack of funding became a major barrier to progress and the series, which was almost 50 per cent completed, remained in manuscript form. With the appearance of Dr. Kennedy's two synopses in 1986 the possibility of publishing the synopsis under the aegis of Alberta Agriculture became a possibility. In conversation with Dr. Kennedy he assured me of his enthusiastic support for this approach, and his willingness to act as editor for the series. In 1988 Mr. Ben McEwan, Deputy Minister of Alberta Agriculture approved the initiative, and the editorship transferred from me to Murray Kennedy. The publication of the series will continue with the present volume being the first in the series. Each part will be published as it is completed, rather than adhering to a systematic ordering, and each will have an introduction to include pertinent background of the taxa under consideration.

The authority for the taxonomic arrangement of the major hosts and parasite groups will be declared for each volume. Although we recommend a uniform classificatory scheme be used for the parasites throughout the series, the difficulties of adhering to any one classification are well known and need not be enumerated here. Therefore, some flexibility has been allowed.

It is my hope that updated synopses and bibliographies will be produced at appropriate intervals in the future and that the present series represents a foundation.

Mary Beverley-Burton
University of Guelph
College of Biological Sciences
Guelph, Ontario

Kennedy, M.J. 1986. Synopsis of the Parasites of Vertebrates of Canada-Helminths and Protozoa of Terrestrial Mammals. Alberta Agriculture Publication. 90 p.

Kennedy, M.J., and R.A. Newman. 1986. Synopsis of the Parasites of Vertebrates of Canada-Ectoparasites of Terrestrial Mammals. Alberta Agriculture Publication. 109 p.

de La Martinière. 1787. Mémoire sur quelques insectes. Obs. Sur. Phys. (etc.), Vol. 31, Pt2, Sept., p. 207-209, pl. 2. fig. 1-7; Oct., p. 264-266, pl. 2. fig. 8-12; Nov., p 365-366, pl. 2, fig. 13-15.

Margolis, L., and J.R. Arthur. 1979. Synopsis of the Parasites of Fishes of Canada. Bulletin of the Fisheries Research Board of Canada 199: 269 p.

Smith, L.M., and E.M. Addison. 1982. A Bibliography of Parasites and Diseases of Ontario Wildlife. Ontario Ministry of Natural Resources. Wildlife Research Report No. 99: 267 p.

Stimpson, W. 1854. Synopsis of the Marine Invertebrates of Grand Manan: or the region about the mouth of the Bay of Funday, New Brunswick. Smithsonian Contribution to Knowledge 6: 1-66.

Digitized by the Internet Archive
in 2015

Introduction

Although the earliest record of a parasite from marine mammals taken in Canadian waters may date back to 1853, the parasite fauna of these mammals in Canadian waters is far from adequately known. Undoubtedly, more intensive studies than have been conducted to date would bring to light the existence in this fauna of additional species of parasites and would provide further host and distributional records. Indeed, many parasite species not known from Canadian waters have been reported from other geographic areas in marine mammals that are found also in Canadian waters; some of these sea mammals are highly migratory and occur only seasonally in Canadian waters. The present compilation must, therefore, be regarded as indicative only of the present state of knowledge and not as a definitive synopsis of the fauna. Users of the synopsis are cautioned to bear this in mind, particularly when comparisons with other geographic areas are being attempted.

Only species considered to be obligatory and permanent parasites are included herein. Organisms that are more properly classified as commensals (e.g., the nematode *Odontobius ceti* Roussel de Vauzème, 1834 and the copepod *Balaenophilus unisetus* Aurivillius, 1879, which live on the baleen plates of whales) or that have a phoretic relationship with marine mammals (e.g., various barnacles), and the lampreys, which are regarded either as temporary parasites or predators, are excluded.

Two known fish parasites that have been reported from marine mammals are not included in the present synopsis. They are the cestode *Abothrium gadi* van Beneden, 1871, reported by Margolis (1956) from *Eumetopias jubatus* from the Pacific coast and the nematode *Hysterothylacium aduncum* (Rudolphi, 1802) [recorded as *Contracaecum gadi* (O. F. Müller, 1777)], reported by Ronald et al. (1970) from *Pagophilus* (= *Phoca*) *groenlandicus* from the Atlantic coast. The occurrence of these helminths in marine mammals likely resulted from recent ingestion of infected fish and they should not be considered as true parasites of these mammals.

The synopsis indicates that up to October 1988, at least 69 species of parasites have been reported from 26 species (1 with 2 subspecies) of marine Carnivora and Cetacea. Five additional species (one unnamed) from previously unpublished data in the files of one of us (L.M.) are also listed in the synopsis. Parasites not identified to the species level are not included in the total number, except in cases where named species have not been recorded in Canadian waters for the genus in question or clearly a separate species is involved. The 74 species are divided among major taxa as follows: Protozoa -2; Trematoda -9; Cestoidea -9; Nematoda -24; Acanthocephala -10; Copepoda -1; Amphipoda -13; Anoplura -3; and Acarina -3.

Eighteen previously unpublished host-parasite-locality records from the files of L.M. are included in the present synopsis and are designated in the Parasite-Host list as "previously unpublished." They are:

1. *Campula oblonga* Cobbold, 1858 (Trematoda) from *Phocoena phocoena* and *Phocoenoides dalli*; Pacific coast.
2. *Hadwenius nipponicus* Yamaguti, 1951 (Trematoda) from *Phocoena phocoena*; Pacific coast.
3. *Plicobothrium globicephalae* Rausch and Margolis, 1969 (Cestoidea) from *Lagenorhynchus albirostris*; Atlantic coast.
4. *Phyllobothrium delphini* (Bosc, 1802) (Cestoidea) from *Balaenoptera physalus*; Atlantic coast.
5. *Anisakis physeteris* Baylis, 1923 (Nematoda) from *Physeter catodon*; Atlantic coast.
6. *Anisakis simplex* (Rudolphi, 1809) from *Balaenoptera acutorostrata*, *Balaenoptera physalus*, *Phocoena phocaena*, and *Physeter catodon*; Atlantic coast.
7. *Anisakis simplex* (Rudolphi, 1809) from *Phocoena phocoena*; Pacific coast.
8. *Crassicauda* sp. (Nematoda) from *Phocoena phocoena*; Pacific coast.
9. *Placentonema gigantissima* Gubanov, 1951 (Nematoda) from *Physeter catodon*; Pacific coast.
10. *Bolbosoma* sp. (Acanthocephala) from *Balaenoptera physalus*; Pacific coast.
11. *Corynosoma* sp. (? *similis* Neiland, 1962) (Acanthocephala) from *Phocoena phocoena*; Pacific coast.
12. *Cyamus boopis* Lütken, 1870 (Amphipoda) from *Balaenoptera physalus*; Atlantic coast. This also appears to be a new host-parasite record.
13. *Orthohalarachne attenuata* (Banks, 1910) (Acarina) from *Callorhinus ursinus*; Pacific coast.
14. *Orthohalarachne diminuta* (Doetschman, 1944) from *Callorhinus ursinus*; Pacific coast.

Of the above 14 parasite species, five are reported from Canada for the first time: *Hadwenius nipponicus*, *Crassicauda* sp. (unnamed), *Placentonema gigantissima*, *Corynosoma* ? *similis*, and *Orthohalarachne attenuata*.

The classification and nomenclature of parasite taxa used herein generally follows currently accepted taxonomic systems. However, as has been emphasized by Gibson (1987), there has been no single system of trematode classification that has met with wide acceptance. We have chosen to use the classification and nomenclature recently proposed by Brooks et al. (1985), with addition of the superfamily Notocotyloidea. For Protozoa we used the system proposed by Levine et al. (1980); for Cestoidea, Nematoda, and Acanthocephala, we adopted the systems of Schmidt (1986), Anderson et al. (1974-1983), and Amin (1985), respectively. The

arthropod parasites covered in this synopsis have been grouped in the classical way under the classes Crustacea (Copepoda and Amphipoda), Insecta (Anoplura), and Arachnoidea (Acarina).

Host nomenclature and classification conform to the usage of Banks et al. (1987). In addition, two subspecies of the harbor seal are recognized. In accordance with the arguments presented by Shaughnessy and Fay (1977), the subspecific name of the Pacific coast harbor seal is spelled *richardsi*. All Atlantic and eastern Arctic records from the harbor seal are assigned to the subspecies *concolor*, although most authors did not include a subspecific name for this seal.

The format of the entries in the synopsis follows that used by Margolis and Arthur (1979) in their *Synopsis of the Parasites of Fishes of Canada*.

The PARASITE-HOST list is organized by higher taxa of parasites in the following order: Protozoa (Apicomplexa), Platyhelminthes (Trematoda, Cestoidea), Nematelminthes (Nematoda), Acanthocephala, and Arthropoda (Crustacea: Copepoda, Amphipoda; Insecta: Anoplura; Arachnoidea: Acarina). Species, genera, and families are listed in alphabetical order within their respective next higher taxon, which in the case of a family is a superfamily, a suborder, or an order, depending on the group in question and the usefulness of including the superfamily or suborder category.

For each parasite species listed, the following information is provided:

1) The current **scientific name**, including author(s) and date(s), followed by any recognized synonyms that have been used in establishing the Canadian record(s). No attempt has been made to evaluate systematically the validity of published records, but attention is drawn to obvious errors.

2) The **site** of occurrence of the parasite in its host(s) (aberrant sites usually are not included). When the site was not given, the likely site as determined from other records, is enclosed in square brackets.

3) The **hosts**. Only currently accepted scientific names as recommended by Banks et al. (1987) are given in the Parasite-Host List. Numbers in parentheses after each host name correspond with the numbers assigned to the references establishing the particular parasite-host records.

4) **Distribution (Dist.)** within Canadian waters. The species are grouped into four geographic regions or localities: Atlantic (Atl), Pacific (Pac), Eastern Arctic (E Arc), and Western Arctic (W Arc). Eastern and Western Arctic are divided by 100° W longitude. The Eastern Arctic is generally defined as north of 60° N latitude, except that it includes Hudson Bay and Ungava Bay.

5) Authors responsible for the **records** are listed in chronological order of the published records. To enable the reader to grasp at a glance the author(s) responsible for particular parasite-host-locality records, we numbered the references listed under "Records" and placed the corresponding number(s) after the host name, and each reference is followed by the locality or localities from which the parasite was (were) reported. When only one host is listed for a particular parasite the references are not numbered, and when all records are from the same locality the latter is not listed after the authors' names.

6) Under **Remarks**, explanatory comments, as required, are offered on systematics, nomenclature, misidentifications, and synonymies of parasites; and on the hosts, sites within hosts, and validity of previous records.

In the HOST-PARASITE LIST, within each order or suborder, the families, genera, species, and subspecies are listed alphabetically. Host synonyms included are only those that were used in establishing the Canadian parasite records. After the name of each parasite species, its geographic distribution in the host in question is given in parentheses.

PARASITE-HOST LIST

SUBKINGDOM PROTOZOA
PHYLUM APICOMPLEXA

CLASS SPOROZOEA
SUBCLASS COCCIDIA

ORDER EUCCIDIIDA
SUBORDER EIMERIINA

FAMILY EIMERIIDAE

Eimeria phocae Hsu, Melby and Altman, 1974

Site: unspecified

Host: *Phoca vitulina concolor*

Dist.: Atl

Record: McClelland 1980c

FAMILY SARCOCYSTIDAE

Sarcocystis sp.

Sites: skeletal muscles, myocardium

Host: *Globicephala melaena*

Dist.: Atl

Record: Cowan 1966

SUBKINGDOM EUMETAZOA
PHYLUM
PLATYHELMINTHES

CLASS TREMATODA
SUBCLASS DIGENEA

ORDER PARAMPHISTOMIFORMES

SUPERFAMILY NOTOCOTYLOIDEA
FAMILY NOTOCOTYLIDAE

Ogmogaster antarcticus Johnston, 1931

Syn.: *Ogmogaster plicatus* of Margolis and Pike (1955), in part

Site: large intestine

Host: *Balaenoptera borealis*

Dist.: Pac

Record: Rausch and Fay 1966

Ogmogaster plicatus (Creplin, 1829)

Jägerskiöld, 1891

Site: small intestine

Hosts: *Balaenoptera borealis* (1, 2)

Balaenoptera physalus (1, 2)

Balaenoptera sp. (3)

Dist.: Pac

Records: 1. Margolis and Pike 1955; 2. Rausch and Fay 1966; 3. Gibson and Harris 1979

ORDER ECHINOSTOMATIFORMES

SUPERFAMILY FASCIOLOIDEA
FAMILY CAMPULIDAE

Campula oblonga Cobbold, 1858

Site: bile ducts

Hosts: *Phocoena phocoena* (1, 2)

Phocoenoides dalli (2)

Dist.: Atl, Pac

Records: 1. Smith and Threlfall 1973 (Atl); 2.

Previously unpublished (Pac)

Remarks: Smith and Threlfall (1973) did not specify the site in which their specimens from *P. phocoena* were found, but presumably it was the bile ducts.

Hadwenius nipponicus Yamaguti, 1951

Site: stomach

Host: *Phocoena phocoena*

Dist.: Pac

Record: Previously unpublished

Hadwenius seymouri Price, 1932

Site: intestine

Host: *Delphinapterus leucas*

Dist.: W Arc

Record: Wazura et al. 1986

Lecithodesmus goliath (van Beneden, 1858)

Odhner, 1905

Site: bile ducts

Host: *Balaenoptera physalus*

Dist.: Pac

Record: Margolis and Pike 1955

Lecithodesmus spinosus Margolis and Pike, 1955

Site: bile ducts

Host: *Balaenoptera borealis*

Dist.: Pac

Record: Margolis and Pike 1955

Leucasiella arctica Delyamure and Kleinenberg, 1958

Site: rectum

Host: *Delphinapterus leucas*

Dist.: W Arc

Record: Wazura et al. 1986

Orthosplanchnus arcticus Odhner, 1905

Site: liver, bile ducts

Hosts: *Globicephala melaena* (2, 3)

Phoca hispida (1)

Dist.: Atl, W Arc

Records: 1. Cooper 1921 (W Arc); 2. Cowan 1966 (Atl); 3. 1967 (Atl)

Remarks: Cowan (1966) initially reported this species simply as "trematode worms."

CLASS CESTOIDEA
SUBCLASS EUCESTODA
ORDER PSEUDOPHYLLIDEA
FAMILY DIPHYLLOBOTHRIIDAE

Diphyllobothrium cordatum (Leuckart, 1863)

Gedoelst, 1911
Site: intestine
Host: *Erignathus barbatus*
Dist.: E Arc, W Arc
Records: Cooper 1921 (W Arc); Markowski
1952 (E Arc)

Diphyllobothrium lanceolatum (Krabbe, 1865)

Cooper, 1921
Syn.: *Cordicephalus phocarus* Wardle, McLeod
and Stewart, 1947, in part ("type 2" of
Wardle et al. 1947)
Site: intestine
Hosts: *Erignathus barbatus* (1, 2, 3)
Phoca groenlandica (2, 3)
Dist.: Atl, E Arc, W Arc
Records: 1. Cooper 1921 (W Arc); 2. Wardle,
McLeod and Stewart 1947 (Atl); 3.
Markowski 1952 (E Arc)

Diphyllobothrium pacificum (Nybelin, 1931)

Margolis, 1956
Site: intestine
Host: *Eumetopias jubatus*
Dist.: Pac
Record: Margolis 1956

Diphyllobothrium spp.

Site: intestine
Hosts: *Erignathus barbatus* (1, 2)
Globicephala melaena (4)
Phoca groenlandica (2, 3)
Dist.: Atl, E Arc, W Arc
Records: 1. Cooper 1921 (W Arc); 2. Lyster
1940 (E Arc); 3. Markowski 1952 (E Arc);
4. Cowan 1967 (Atl)
Remarks: Lyster (1940) suggested that his
specimens might belong to *Diphyllobothrium*
lanceolatum.

Diplogonoporus tetrapterus (von Siebold, 1848)

Ariola, 1896
Site: intestine
Host: *Eumetopias jubatus*
Dist.: Pac
Record: Margolis 1956

Diplogonoporus sp.

Site: intestine
Hosts: *Erignathus barbatus*
Phoca groenlandica
Dist.: Atl
Record: Wardle et al. 1947
Remarks: Wardle et al. (1947) described a
diplogonadic cestode (their "type 1"), which
they considered reminiscent of
Diplogonoporus fasciatus (Krabbe, 1865).
They included it in their new genus
Cordicephalus, as *C. phocarus* (Fabricius,
1780). However, *Cordicephalus* has not been
accepted as a valid genus, nor is *fasciatus* a
synonym of *phocarus* (see Stunkard 1948;
Markowski 1952). We here assign Wardle et
al.'s (1947) "type 1" diphyllbothriid to
Diplogonoporus.

Plicobothrium globicephalae Rausch and
Margolis, 1969

Site: small intestine
Hosts: *Globicephala melaena* (1)
Lagenorhynchus albirostris (2)
Dist.: Atl
Records: 1. Rausch and Margolis 1969; 2.
Previously unpublished

Pyramicocephalus phocarum (Fabricius, 1780)
Monticelli, 1890

Syn.: *Bothriocephalus anthocephalus* of
Baird (1853)
Site: intestine
Host: *Erignathus barbatus*
Dist.: Atl, E Arc, W Arc
Records: Baird 1853 (E Arc); Cooper 1921
(W Arc); Markowski 1952 (E Arc)
Remarks: Baird (1853) reported
B. anthocephalus, which Markowski (1952)
considered as a synonym of *P. phocarum*,
from Baffin Bay. Although the precise
locality was not indicated, we are including
this record here because of the possibility that
it pertains to Canadian waters.

ORDER TETRAPHYLLIDEA
FAMILY PHYLLLOBOTHRIIDAE

Phyllobothrium delphini (Bosc, 1802)
van Beneden, 1870

Site: blubber
Hosts: *Balaenoptera physalus* (1, 3)
Globicephala melaena (2)
Physeter catodon (1)
Dist.: Atl, Pac
Records: 1. Margolis and Pike 1955 (Pac); 2.
Sergeant 1962 (Atl); 3. Previously
unpublished (Atl)

Phyllobothrium sp.

Sites: abdominal subserosa, blubber

Host: *Globicephala melaena*

Dist.: Atl

Records: Cowan 1966, 1967

Remarks: The cestode plerocercoids reported by Cowan (1966) were subsequently assigned by him (Cowan 1967) to *Phyllobothrium* sp.

ORDER CYCLOPHYLLIDEA

FAMILY TETRABOTHRIIDAE

Anophryocephalus anophrys Baylis, 1922

Site: [intestine]

Host: *Phoca groenlandica*

Dist.: Atl

Record: Smith and Threlfall 1973

Anophryocephalus sp.

Syn.: *Anophryocephala* sp. of McClelland (1980c)

Site: intestine

Host: *Phoca vitulina concolor*

Dist.: Atl

Record: McClelland 1980c

Trigonocotyle lintoni Guiart, 1935

Site: intestine

Host: *Globicephala melaena*

Dist.: Atl

Record: Cowan 1967

Remarks: In his Handbook of Tapeworm Identification, Schmidt (1986) listed this species as *Trigonocotyle monticellii* (Linton, 1923) Baer, 1932, with *T. lintoni* Guiart, 1935 as one of its synonyms. However, in accordance with Article 52(b) of the International Code of Zoological Nomenclature (3rd edition, 1985), "*monticellii*," as a junior primary homonym, is a permanently invalid name for this tapeworm. Contrary to the views expressed by Baer (1954), who reviewed the nomenclatural history of this species and proposed for it yet another new specific name (*globicephalae*), the next available name for the cestode in question is "*lintoni*." Guiart (1935) explicitly applied this name as a replacement for the homonym "*monticellii*," although unfortunately he proceeded to describe under the name *Trigonocotyle lintoni* a different species, which Baer (1954), upon re-examination, considered to be *Tetrabothrius forsteri* (Kreff, 1871).

UNIDENTIFIED CESTOIDEA

Cestoidea gen. spp.

Sites: intestine, stomach

Hosts: *Balaenoptera borealis* and/or *Megaptera novaeangliae* (1)

Erignathus barbatus (2)

Dist: E Arc, Pac

Records: 1. Cornwall 1928 (Pac); 2. Dunbar 1949 (E Arc)

PHYLUM
NEMATHELMINTHES
CLASS NEMATODA
SUBCLASS ADENOPHOREA

ORDER ENOPLIDA

SUPERFAMILY TRICHINELLOIDEA
FAMILY TRICHINELLIDAE

Trichinella spiralis (Owen, 1835) Railliet, 1895

Site: musculature

Hosts: *Erignathus barbatus* (2)

Odobenus rosmarus (1,2)

Dist: E Arc

Records: 1. Kuitunen-Ekbaum 1954; 2. Mansfield (1963)

SUBCLASS SECERNENTEA

ORDER ASCARIDIDA

SUPERFAMILY ASCARIDOIDEA
FAMILY ANISAKIDAE

Anisakis physeteris Baylis, 1923

Site: stomach

Host: *Physeter catodon*

Dist.: Atl, Pac

Records: Margolis and Pike 1955 (Pac);
Previously unpublished (Atl)

Anisakis simplex (Rudolphi, 1809) Baylis, 1920

Site: stomach

Hosts: *Balaenoptera acutorostrata* (12)

Balaenoptera borealis (1,2,3,10)

Balaenoptera physalus (12)

Berardius bairdii (7)

Delphinapterus leucas (4,5,6,13)

Globicephala melaena (8)

Orcinus orca (9,10)

Phocoena phocoena (11)

Phocoenoides dalli (10)

Physeter catodon (7,12)

Dist.: Atl, E Arc, Pac, W Arc

Records: 1. Mueller 1927a (Pac); 2. 1927b (Pac); 3. Cornwall 1928 (Pac); 4. Lyster 1940 (Atl); 5. Vladkov 1944 (Atl); 5. Doan and Douglas 1953 (E Arc); 7. Margolis and Pike 1955 (Pac); 8. Sergeant 1962 (Atl); 9. Newman and McGeer 1966 (Pac); 10. Margolis and Dailey 1972 (Pac); 11. Previously unpublished (Pac); 12. Previously unpublished (Atl); 13. Wazura et al. 1986 (W Arc)

Remarks: Davey (1971) attributed records of *A. simplex* from *O. orca*, *P. dalli*, and *Megaptera novaeangliae* to Margolis and Pike (1955). However, the first records of *A. simplex* from *O. orca* and *P. dalli* from Canadian waters were reported by Margolis and Dailey (1972). A confirmed record of *A. simplex* from *Megaptera novaeangliae* in Canadian waters is still not documented, although Margolis and Pike (1955) reported *Anisakis* sp. from this host.

Anisakis sp.

Site: gastrointestinal tract

Hosts: *Balaenoptera physalus* (2)

Delphinapterus leucas (1)

Globicephala melaena (5, 6)

Halichoerus grypus (4, 7)

Lagenorhynchus albirostris (3)

Megaptera novaeangliae (2)

Phoca groenlandica (8)

Phoca vitulina concolor (4,8)

Pseudorca crassidens (9)

Dist.: Atl, E Arc, Pac

Records: 1. Lyster 1940 (E Arc); 2. Margolis and Pike 1955 (Pac); 3. Sergeant and Fisher 1957 (Atl); 4. Scott and Fisher 1958b (Atl); 5. Cowan 1966 (Atl); 6. Cowan 1967 (Atl); 7. Mansfield and Beck 1977 (Atl); 8. McClelland 1980c, experimental and natural (Atl); 9. Previously unpublished (Pac)

Remarks: The nematodes reported by Cowan (1966) from the "true (peptic) stomach" of *G. melaena* are included here because it appears that he subsequently identified them as *Anisakis* sp. (Cowan 1967). The unpublished record from *P. crassidens* pertains to larval worms.

Contracaecum osculatum (Rudolphi, 1802) Baylis, 1920

Syn.: *Ascaris osculata* Rudolphi, 1802 of Baird (1853)

Site: stomach

Hosts: *Erignathus barbatus* (1, 5)

Eumetopias jubatus (4)

Halichoerus grypus (9)

Phoca groenlandica (5, 6, 7)

Phoca hispida (2, 5)

Phoca vitulina concolor (2, 5)

Phoca vitulina richardsi (3, 4)

Dist.: Atl, E Arc, Pac, W Arc

Records: 1. Baird 1853 (E Arc); 2. Lyster 1940 (Atl, E Arc); 3. Fisher 1952 (Pac); 4. Margolis 1956 (Pac); 5. Myers 1957a (E Arc, W Arc); 6. 1957b (Atl); 7. Smith and Threlfall 1973 (Atl); 8. McClelland 1980c (Atl); 9. McClelland et al. 1987 (Atl)

Remarks: Lyster (1940) reported *C. osculatum* from *P. hispida* and *P. vitulina* from several localities in the eastern Arctic and the Atlantic regions, but the localities were not segregated by host. We arbitrarily assigned all records from *P. hispida* to the eastern Arctic and the records from *P. vitulina* to both the eastern Arctic and Atlantic regions. *Ascaris osculata* of Baird (1853) was reported from an unspecified locality in Baffin Bay. We are including the record here because of the possibility that it pertains to Canadian waters.

Contracaecum spp.

Syn.: *Phocascaris* sp. of Myers (1957a, b) and of McClelland (1980c)

Sites: stomach, less commonly intestine

Hosts: *Delphinapterus leucas* (8)

Halichoerus grypus (3, 6)

Phoca groenlandica (2, 3, 4, 7)

Phoca hispida (1)

Phoca vitulina concolor (3)

Phocoena phocoena (5)

Dist.: Atl, E Arc, W Arc

Records: 1. Myers 1957a (E Arc); 2. 1957b (Atl); 3. Scott and Fisher 1958b (Atl); 4. Wilson and Stockdale 1970 (locality not specified); 5. Smith and Threlfall 1973 (Atl); 6. Mansfield and Beck 1977 (Atl); 7. McClelland 1980c (Atl); 8. Wazura et al. 1986 (W Arc)

Remarks: *Phocascaris* was declared a synonym of *Contracaecum* by Soleim (1984). The records of Myers (1957a, b) and McClelland (1980c) were reported as *Phocascaris* sp. Wilson and Stockdale (1970) did not specify the locality of capture or captivity of the harp seal they examined. Stockdale (pers. comm. 1985) advised that the seal was one of a group obtained from eastern Canada and maintained at the University of Guelph.

Phocascaris netsiki Lyster, 1940

Site: stomach

Hosts: *Phoca hispida*

Phoca vitulina concolor

"seal"

Dist.: E Arc

Record: Lyster 1940

Remarks: Soleim (1984) placed the genus *Phocascaris* in synonymy with *Contracaecum*. Although he mentioned *P. cystophorae* and *P. phocae* (but not *P. netsiki*) as species in *Phocascaris*, he did not formally establish new combinations for these species in the genus *Contracaecum*. Pending clarification of the status of *P. netsiki*, we are retaining it in *Phocascaris*. In the summary host-parasite list

in Lyster's (1940) paper, *P. vitulina* is included as a host of *P. netsiki*, although this species of seal is not mentioned as a host in the text.

Pseudoterranova decipiens (Krabbe, 1878) Gibson and Colin, 1982

Syn.: *Porrocaecum decipiens* (Krabbe, 1878) Baylis, 1920

Terranova decipiens (Krabbe, 1878)

Mozgovoy, 1951

Phocanema decipiens (Krabbe, 1878)

Myers, 1959

Site: gastrointestinal tract

Hosts: *Delphinapterus leucas* (9)

Erignathus barbatus (1, 7)

Eumetopias jubatus (6)

Halichoerus grypus (2, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 22, 23)

Phoca groenlandica (1, 8, 10, 11, 15, 18, 21)

Phoca hispida (7)

Phoca vitulina concolor (1, 2, 4, 5, 7, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22)

Phoca vitulina richardsi (3,6)

Phocoena phocoena (9)
"seals" (1)

Dist.: Atl, E Arc, Pac

Records: 1. Lyster 1940 (Atl, E Arc); 2. Scott 1950 (Atl); 3. Fisher 1952 (Pac); 4. Scott 1953, experimental and natural (Atl); 5. 1955, experimental (Atl); 6. Margolis 1956 (Pac); 7. Myers 1957a (E Arc); 8. 1957b (Atl); 9. Scott and Fisher 1958a (Atl); 10. 1958b (Atl); 11. Myers 1960 (Atl); 12. Scott and Black 1960 (Atl); 13. Mansfield 1963 (Atl); 14. McClelland and Ronald 1970 (Atl); 15. Ronald et al. 1970 (Atl); 16. McClelland and Ronald 1974 (Atl); 17. McClelland 1976, experimental (Atl); 18. Mansfield and Beck 1977 (Atl); 19. McClelland 1980a, experimental (Atl); 20. 1980b, experimental (Atl); 21. 1980c, experimental and natural (Atl); 22. 1982 (Atl); 23. McClelland et al. 1987 (Atl)

Remarks: All records cited above were reported under one or other of the synonyms listed above. We accept Gibson and Colin's (1982) and Gibson's (1983) arguments that the valid generic name for this nematode is *Pseudoterranova*.

Anisakinae gen. sp.

Site: gastrointestinal tract

Hosts: *Halichoerus grypus*

Phoca groenlandica

Phoca vitulina concolor

Dist.: Atl

Record: Montreuil and Ronald 1957

ORDER SPIRURIDA

SUPERFAMILY HABRONEMATOIDEA FAMILY TETRAMERIDAE

Crassicauda boopis Baylis, 1920

Syn.: *Crassicauda pacifica* Margolis and Pike, 1955

Site: kidneys

Host: *Balaenoptera physalus*

Dist.: Pac

Record: Margolis and Pike 1955

Remarks: *Crassicauda boopis* and *C. pacifica* were originally described from posterior and anterior regions, respectively, of these worms, which are difficult to dissect from host tissues in their entirety. Lambertsen (1985) obtained a single whole specimen, which enabled him to demonstrate that *C. pacifica* is a synonym of *C. boopis*.

Crassicauda sp.

Site: cavities within the blubber

Host: *Phocoena phocoena*

Dist.: Pac

Record: Previously unpublished

Remarks: This species is distinct from *C. boopis*, found in certain larger baleen whales. It is unquestionably identical with the unnamed *Crassicauda* sp. reported by Dailey and Stroud (1978) from the blubber, mammary glands, and urogenital system of *P. phocoena* stranded on the shores of Oregon, U.S.A.

Placentonema gigantissima Gubanov, 1951

Site: placenta

Host: *Physeter catodon*

Dist.: Pac

Record: Previously unpublished

SUPERFAMILY FILARIOIDEA FAMILY ONCHOCERCIDAE

Dipetalonema spirocauda (Leidy, 1858) Anderson, 1959

Site: aorta

Host: *Phoca vitulina concolor*

Dist.: Atl

Record: McClelland 1980c

ORDER STRONGYLIDA

SUPERFAMILY ANCYLOSTOMATOIDEA FAMILY ANCYLOSTOMATIDAE

Uncinaria lucasi Stiles, 1901 (adults and larvae)
Site: intestine (adults), blubber (larvae)
Host: *Callorhinus ursinus*
Dist.: Pac
Records: Bigg and Lyons 1981; Lyons and Bigg 1983
Remarks: These records represent infections passed to pups born in captivity (in Nanaimo, B.C.) through transmammary transmission from naturally infected mothers captured on the Pribilof Islands, Alaska.

SUPERFAMILY METASTRONGYLOIDEA
FAMILY FILAROIDIDAE

Filaroides (Parafilaroides) hispidus Kennedy, 1986
Site: lungs
Host: *Phoca hispida*
Dist.: W Arc
Record: Kennedy 1986

Filaroides (Parafilaroides) sp.
Syn.: *Parafilaroides* sp. of Margolis, 1956
Site: lungs
Host: *Eumetopias jubatus*
Dist.: Pac
Record: Margolis 1956

FAMILY PSEUDALIIDAE

Halocercus invaginatus (Quekett, 1841) Dougherty, 1943
Syn.: *Halocercus inflexicaudatus* of Smith and Threlfall (1973)
Site: lungs
Host: *Phocoena phocoena*
Dist.: Atl, Pac
Records: Smith and Threlfall 1973 (Atl); Arnold and Gaskin 1975 (Atl, Pac)

Halocercus monoceris Webster, Neufeld and MacNeil, 1973
Site: lungs
Host: *Monodon monoceros*
Dist.: E Arc
Records: Webster, Neufeld and MacNeil 1973; MacNeil, Neufeld and Webster 1975
Remarks: This species was recovered from narwhals captured in the eastern Arctic and transported to the Vancouver aquarium, where they died.

Halocercus taurica Delyamure, 1942
Site: lungs
Host: *Phocoena phocoena*
Dist.: Atl, Pac
Record: Arnold and Gaskin 1975

Halocercus sp.
Site: lungs
Host: *Phocoena phocoena*
Dist.: Atl
Record: Smith and Threlfall 1973

Pharurus alatus (Leuckart, 1848) Stiles and Hassall, 1905
Site: lungs
Host: *Monodon monoceros*
Dist.: E Arc
Record: Arnold and Gaskin 1975

Pharurus pallasii (van Beneden, 1870) Arnold and Gaskin, 1975
Syn.: *Stenurus arcticus* (Cobb, 1888)
Crassicauda sp. of Brodie (1971)
Sites: lungs, cranial sinuses, cerebral spinal fluid, auditory canals
Host: *Delphinapterus leucas*
Dist.: Atl, E Arc, W Arc
Records: Doan and Douglas 1953 (E Arc); Brodie 1971 (E Arc); Arnold and Gaskin 1975 (Atl, E Arc, W Arc); Kenyon and Kenyon 1977 (E Arc); Martineau et al. 1985 (Atl); Wazura et al. 1986 (W Arc)

Pharurus sp.
Syn.: *Pseudostenurus* sp. of Smith and Threlfall (1973)
Site: unspecified
Host: *Phocoena phocoena*
Dist.: Atl
Record: Smith and Threlfall (1973)
Remarks: Anderson (1978) listed *Pseudostenurus* Yamaguti, 1951 as a synonym of *Pharurus* Leuckart, 1848. In addition, Arnold and Gaskin (1975) commented that "the occurrence of the genus *Pseudostenurus* in harbor porpoise by Smith and Threlfall (1973) ... needs confirmation."

Pseudalius inflexus (Rudolphi, 1808) Schneider, 1866
Site: lungs
Host: *Phocoena phocoena*
Dist.: Atl
Record: Arnold and Gaskin 1975

Stenurus arctomarinus Delyamure and Kleinenberg, 1958
Site: lungs
Host: *Delphinapterus leucas*
Dist.: E Arc, W Arc
Record: Arnold and Gaskin 1975

Stenurus globicephalae Baylis and Daubney, 1925
Site: trachea, lungs, cranial sinuses
Hosts: *Globicephala melaena* (1, 2, 3)
Grampus griseus (3)
Dist.: Atl
Records: 1. Cowan 1966; 2. 1967; 3. Arnold and Gaskin 1975

Stenurus minor (Kuhn, 1829) Baylis and Daubney, 1925
Site: lungs
Host: *Phocoena phocoena*
Dist.: Atl
Record: Arnold and Gaskin 1975

Torynurus convolutus (Kuhn, 1829) Baylis and Daubney, 1925
Sites: respiratory system, esophagus, cranial sinuses
Hosts: *Globicephala melaena* (1)
Phocoena phocoena (2, 3)
Dist.: Atl, Pac
Records: 1. Sergeant 1962 (Atl); 2. Arnold and Gaskin 1975 (Atl, Pac); 3. Gibson and Harris 1979 (Atl)

Torynurus dalli (Yamaguti, 1951) Delyamure, 1972
Syn.: *Irukanema dalli* Yamaguti, 1951 of Smith and Threlfall (1973)
Site: unspecified
Host: *Phocoena phocoena*
Dist.: Atl
Record: Smith and Threlfall 1973
Remarks: Arnold and Gaskin (1975) suggested that the specimens reported as *Irukanema dalli* by Smith and Threlfall (1973) may actually be *Torynurus convolutus*.

UNIDENTIFIED NEMATODA

Nematoda gen. sp.
Site: unspecified
Host: *Erignathus barbatus*
Dist.: E Arc
Record: Dunbar 1949

PHYLUM ACANTHOCEPHALA CLASS PALAEACANTHOCEPHALA ORDER POLYMORPHIDA FAMILY POLYMORPHIDAE

Bolbosoma capitatum (von Linstow, 1880) Porta, 1908
Site: intestine
Host: *Globicephala melaena*
Dist.: Atl
Record: Cowan 1967

Bolbosoma turbinella (Diesing, 1851) Porta, 1908
Site: small intestine
Host: *Balaenoptera borealis*
Dist.: Pac
Record: Margolis and Pike 1955

Bolbosoma sp.
Site: intestine
Host: *Balaenoptera physalus*
Dist.: Pac
Record: Previously unpublished

Corynosoma cameroni Van Cleave, 1953
Site: intestine
Host: *Delphinapterus leucas*
Dist.: Atl
Records: Van Cleave 1953a; 1953b

Corynosoma magdaleni Montreuil, 1958
Site: intestine
Host: *Halichoerus grypus*
Dist.: Atl
Record: Montreuil 1958

Corynosoma reductum (von Linstow, 1905) Railliet and Henry, 1907
Site: intestine
Host: *Phoca hispida*
Dist.: E Arc
Record: Van Cleave 1953b

Corynosoma strumosum (Rudolphi, 1802) Lühe, 1904
Syn.: *Corynosoma semerme* (Forssell, 1904) of Fisher (1952)
Sites: small intestine, stomach
Hosts: *Delphinapterus leucas* (1, 2)
Erignathus barbatus (1)
Phoca hispida (1)
Phoca vitulina richardsi (3, 4)
Dist.: Atl, E Arc, Pac
Records: 1. Lyster 1940 (Atl, E Arc); 2. Vladykov 1944 (Atl); 3. Fisher 1952 (Pac); 4. Margolis 1956 (Pac)
Remarks: Margolis (1956) noted that *C. semerme* of Fisher (1952) is probably referable to *C. strumosum*.

Corynosoma validum Van Cleave, 1953
Syn.: *Corynosoma semerme* of Lyster (1940)
Site: small intestine
Host: *Erignathus barbatus*
Dist.: E Arc
Records: Lyster 1940; Van Cleave 1953b
Remarks: According to Van Cleave (1953b), *C. semerme* of Lyster (1940) is referable to *C. validum*.

Corynosoma villosum Van Cleave, 1953

Site: intestine
Host: *Eumetopias jubatus*
Dist.: Pac
Record: Margolis 1956

Corynosoma wegeneri Heinze, 1934

Syn.: *Corynosoma hadweni* Van Cleave, 1953
Site: intestine
Host: *Phoca hispida*
Dist.: E Arc
Record: Van Cleave 1953b
Remarks: Margolis (1955) noted that *C. hadweni* is a probable synonym of *C. wegeneri*.

Corynosoma spp.

Site: intestine
Hosts: *Phoca vitulina concolor* (1)
Phocoena phocoena (2)
Dist.: Atl, Pac
Records: 1. McClelland 1980c (Atl); 2. Previously unpublished (Pac)

Remarks: A single, immature female specimen found by one of us (L.M.) in *Phocoena phocoena* from the Pacific coast appears to be referable to *C. similis* Neiland, 1962, but a definite allocation to this species is reserved until further material is obtained.

PHYLUM ARTHROPODA

CLASS CRUSTACEA

SUBCLASS ENTOMOSTRACA

ORDER COPEPODA

SUBORDER SIPHONOSTOMATOIDA

FAMILY PENNELLIDAE

Pennella balaenopterae Koren and Danielssen, 1877

Site: head embedded in blubber, trunk external
Host: *Balaenoptera physalus*
Dist.: Pac
Records: Cornwall 1927; 1928; 1955

SUBCLASS MALACOSTRACA

ORDER AMPHIPODA

FAMILY CYAMIDAE

Cyamus balaenopterae Barnard, 1932

Site: body surface
Host: *Balaenoptera acutorostrata*
Dist.: Pac
Record: Margolis 1959

Cyamus boopis Lütken, 1870

Syn.: *Paracyamus boopis* (Lütken, 1870)

Sars, 1895

Site: body surface
Hosts: *Balaenoptera physalus* (5)
Megaptera novaeangliae (1, 2, 3, 4)
Dist.: Atl, Pac
Records: 1. Cornwall 1928 (Pac); 2. Margolis 1954 (Pac); 3. Leung 1965 (Pac); 4. Brunel 1970 (Atl); 5. Previously unpublished (Atl)
Remarks: The record of *C. boopis* from *B. physalus* appears to be the first from the fin whale.

Cyamus catodontis Margolis, 1954

Site: body surface
Host: *Physeter catodon*
Dist.: Pac
Records: Margolis 1954; Leung 1965

Cyamus ceti (Linnaeus, 1758) Lamarck, 1801

Site: not specified
Host: not specified [probably *Baelana mysticetus*]
Dist.: E Arc
Record: Lincoln and Hurley 1974

Remarks: The locality for this record indicated by Lincoln and Hurley (1974) is Baffin Bay. Although the specific locality could be either in Greenland or in Canada, it is included here. The host was not specified but it was probably *B. mysticetus*, the usual host for this cyamid.

Cyamus erraticus Roussel de Vauzème, 1834

Site: body surface
Host: *Balaena glacialis*
Dist.: Pac
Record: Margolis 1955

Cyamus mondonis Lütken, 1870

Site: [body surface]
Host: *Monodon monoceros*
Dist.: E Arc
Records: Leung 1965; Lincoln and Hurley 1974

Cyamus nodosus Lütken, 1860

Site: [body surface]
Host: unspecified
Dist.: E Arc
Record: Lincoln and Hurley 1974
Remarks: Although Lincoln and Hurley (1974) did not specify the host, the usual host for this cyamid is *Monodon monoceros*.

Cyamus ovalis Roussel de Vauzème, 1834

Site: [body surface]
Host: *Balaena glacialis*
Dist.: Pac (?)
Record: Berzin and Vlasova 1982
Remarks: Berzin and Vlasova (1982) listed *C. ovalis* from *Eubaelena glacialis japonica* from Canada in their Table 3.

Cyamus scammoni Dall, 1872
Site: body surface
Host: *Eschrichtius robustus*
Dist.: Pac
Records: Margolis 1954; 1955; Cornwall 1955

Cyamus sp.
Site: [base of teeth]
Host: *Berardius bairdii*
Dist.: Pac
Record: Leung 1965
Remarks: Based on personal observations by one of us (L.M.), this species appears to be distinct from other species of *Cyamus*, although it is close to *C. catodontis*.

Isocyamus delphini (Guérin-Méneville, 1836)
Gervais and van Beneden, 1859
Site: body surface
Host: *Globicephala melaena*
Dist.: Atl
Records: Sergeant 1962; Cowan 1966

Neocyamus physteris (Pouchet, 1888)
Margolis, 1955
Site: body surface
Host: *Physeter catodon*
Dist.: Pac
Record: Margolis 1959

Platycyamus sp.
Site: body surface
Host: *Berardius bairdii*
Dist.: Pac
Record: Leung 1965

CLASS INSECTA SUBCLASS PTERYGOTA

ORDER ANOPLURA

FAMILY ECHINOPHTHIRIIDAE

Antarctophthirus microchir (Trouessart and Neumann, 1888) Enderlein, 1906
Site: body surface
Host: *Eumetopias jubatus*
Dist.: Pac
Records: Margolis 1956; Spencer 1966

Antarctophthirus trichechi (Bohemann, 1865)
Enderlein, 1909
Site: body surface
Host: *Odobenus rosmarus*
Dist.: E Arc
Record: Spencer 1966

Echinophthirus horridus (Olfers, 1816)
Fahrenheit, 1919
Syn.: Echinophthiriidae gen. sp. of Fisher (1952)
Site: body surface
Hosts: *Phoca groenlandica* (4)
Phoca hispida (2, 3)
Phoca vitulia concolor (3, 5)
Phoca vitulina richardsi (1, 3)
Dist.: Atl, E Arc, Pac
Records: 1. Fisher 1952 (Pac); 2. Myers 1959 (E Arc); 3. Spencer 1966 (Atl, E Arc, Pac); 4. Ronald et al. 1970 (Atl); 5. McClelland 1980c (Atl)

CLASS ARACHNOIDEA

ORDER ACARINA

FAMILY HALARACHNIDAE

Halarachne sp.
Site: nasopharynx, nasal cavity
Host: *Phoca vitulina richardsi*
Dist.: Pac
Records: Fisher 1952; Margolis 1956

Orthohalarachne attenuata (Banks, 1910)
Newell, 1947
Site: nasal sinuses
Host: *Callorhinus ursinus*
Dist.: Pac
Record: Previously unpublished

Orthohalarachne diminuta (Doetschman, 1944)
Newell, 1947
Sites: lungs, bronchioles
Hosts: *Callorhinus ursinus* (2)
Eumetopias jubatus (1)
Dist.: Pac
Records: 1. Margolis 1956; 2. Previously unpublished

HOST-PARASITE LIST

CLASS MAMMALIA

ORDER CETACEA SUBORDER ODONTOCETI

FAMILY DELPHINIDAE

Globicephala melaena (Traill, 1809)

- long-finned pilot whale

PROTOZOA (Apicomplexa):

Sarcocystis sp. (Atl)

TREMATODA:

Orthosplanchnus arcticus (Atl)

CESTOIDEA:

Diphyllobothrium sp. (Atl)

Phyllobothrium delphini (Atl)

Phyllobothrium sp. (Atl)

Plicobothrium globicephalae (Atl)

Trigonocotyle lintoni (Atl)

NEMATODA:

Anisakis simplex (Atl)

Anisakis sp. (Atl)

Stenurus globicephalae (Atl)

Torynurus convolutus (Atl)

ACANTHOCEPHALA:

Bolbosoma capitatum (Atl)

AMPHIPODA:

Isocyamus delphini (Atl)

Grampus griseus (G. Cuvier, 1812)

- Risso's dolphin

NEMATODA:

Stenurus globicephalae (Atl)

Lagenorhynchus albirostris Gray, 1846

- white-beaked dolphin

CESTOIDEA:

Plicobothrium globicephalae (Atl)

NEMATODA:

Anisakis sp. (Atl)

Orcinus orca (Linnaeus, 1758) - killer whale

NEMATODA:

Anisakis simplex (Pac)

Pseudorca crassidens (Owen, 1846)

- false killer whale

NEMATODA:

Anisakis sp. (Pac)

FAMILY MONODONTIDAE

Delphinapterus leucas (Pallas, 1776) - white whale

TREMATODA:

Hadwenius seymouri (W Arc)

Leucasiella arctica (W Arc)

NEMATODA:

Anisakis simplex (Atl, E Arc, W Arc)

Anisakis sp. (E Arc)

Contracaecum sp. (W Arc)

Pharurus pallasii (Atl, E Arc, W Arc)

Pseudoterranova decipiens (Atl)

Stenurus arctomarinus (E Arc, W Arc)

ACANTHOCEPHALA:

Corynosoma cameroni (Atl)

Corynosoma strumosum (Atl)

Monodon monoceros Linnaeus, 1758 - narwhal

NEMATODA:

Halocercus monoceris (E Arc)

Pharurus alatus (E Arc)

AMPHIPODA:

Cyamus monodontis (E Arc)

Cyamus nodosus (?) (E Arc)

FAMILY PHOCOENIDAE

Phocoena phocoena (Linnaeus, 1758)

- harbor porpoise

TREMATODA:

Campula oblonga (Atl, Pac)

Hadwenius nipponicus (Pac)

NEMATODA:

Anisakis simplex (Pac)

Contracaecum sp. (Atl)

Crassicauda sp. (Pac)

Halocercus invaginatus (Atl, Pac)

Halocercus taurica (Atl, Pac)

Halocercus sp. (Atl)

Pharurus sp. (Atl)

Pseudalius inflexus (Atl)

Pseudoterranova decipiens (Atl)

Stenurus minor (Atl)

Torynurus convolutus (Atl, Pac)

Torynurus dalli (Atl)

ACANTHOCEPHALA:

Corynosoma sp. (?*C. similis*) (Pac)

Phocoenoides dalli (True, 1885) - Dall's porpoise

TREMATODA:

Campula oblonga (Pac)

NEMATODA:

Anisakis simplex (Pac)

FAMILY PHYSETERIDAE

Physeter catodon Linnaeus, 1758 - sperm whale

Syn.: *Physeter macrocephalus* Linnaeus, 1758

CESTOIDEA:

Phyllobothrium delphini (Pac)

NEMATODA:

Anisakis physeteris (Atl, Pac)

Anisakis simplex (Atl, Pac)

Placentonema gigantissima (Pac)

AMPHIPODA:

- Cyamus catodontis* (Pac)
- Neocyamus physteris* (Pac)

FAMILY ZIPHIIDAE

- Berardius bairdii* Stejneger, 1883
- North Pacific bottle-nosed whale

NEMATODA:

- Anisakis simplex* (Pac)

AMPHIPODA

- Cyamus* sp. (Pac)
- Platygyamus* sp. (Pac)

SUBORDER MYSTICETI

FAMILY BALAENIDAE

- Balaena glacialis* Müller, 1776 - black right whale
- Syn.: *Eubalena glacialis japonica* (Lacépède, 1818)

AMPHIPODA:

- Cyamus erraticus* (Pac)
- Cyamus ovalis* (Pac)

- ?*Balaena mysticetus* Linnaeus, 1758

- bowhead whale

AMPHIPODA:

- Cyamus ceti* (E Arc)

FAMILY BALAENOPTERIDAE

- Balaenoptera acutorostrata* Lacépède, 1804

- minke whale

NEMATODA:

- Anisakis simplex* (Atl)

AMPHIPODA:

- Cyamus balaenopterae* (Pac)

- Balaenoptera borealis* Lesson, 1828 - sei whale

TREMATODA:

- Lecithodesmus spinosus* (Pac)
- Ogmogaster antarcticus* (Pac)
- Ogmogaster plicatus* (Pac)

CESTOIDEA:

- Cestoidea gen. sp. (Pac)

NEMATODA:

- Anisakis simplex* (Pac)

ACANTHOCEPHALA:

- Bolbosoma turbinella* (Pac)

- Balaenoptera physalus* (Linnaeus, 1758) - fin whale

Syn.: *Balaenoptera velifera* Cope, 1869

TREMATODA:

- Lecithodesmus goliath* (Pac)
- Ogmogaster plicatus* (Pac)

CESTOIDEA:

- Phyllobothrium delphini* (Atl, Pac)

NEMATODA:

- Anisakis simplex* (Atl)
- Anisakis* sp. (Pac)
- Crassicauda boopis* (Pac)

ACANTHOCEPHALA:

- Bolbosoma* sp. (Pac)

COPEPODA:

- Pennella balaenopterae* (Pac)

AMPHIPODA:

- Cyamus boopis* (Atl)

- Balaenoptera* sp.

TREMATODA:

- Ogmogaster plicatus* (Pac)

- Megaptera novaeangliae* (Borowski, 1781)

- humpback whale

Syn.: *Megaptera versabilis* Cope, 1869

Megaptera nodosa (Bonnaterre, 1789)

CESTOIDEA:

- Cestoidea gen. sp. (Pac)

NEMATODA:

- Anisakis* sp. (Pac)

AMPHIPODA:

- Cyamus boopis* (Atl, Pac)

FAMILY ESCHRICHTIDAE

- Eschrichtius robustus* (Lilljeborg, 1861) - gray whale

Syn.: *Rachianectes glaucus* Cope, 1868

Eschrichtius glaucus (Cope, 1868)

Eschrichtius gibbosus (Erxleben, 1777)

AMPHIPODA:

- Cyamus scammoni* (Pac)

ORDER CARNIVORA

FAMILY ODOBENIDAE

- Odobenus rosmarus* (Linnaeus, 1758) - walrus

NEMATODA:

- Trichinella spiralis* (E Arc)

ANOPLURA:

- Antarctophthirus trichechi* (E Arc)

FAMILY OTARIIDAE

- Callorhinus ursinus* (Linnaeus, 1758)

- northern fur seal

NEMATODA:

- Uncinaria lucasi* (Pac)

ACARINA:

- Orthohalarachne attenuata* (Pac)
- Orthohalarachne diminuta* (Pac)

- Eumetopias jubatus* (Schreber, 1776)

- northern sea lion

CESTOIDEA:

- Diphyllobothrium pacificum* (Pac)
- Diplogonoporus tetrapterus* (Pac)

- NEMATODA:
Contracaecum osculatum (Pac)
Parafilaroides sp. (Pac)
Pseudoterranova decipiens (Pac)
- ACANTHOCEPHALA:
Corynosoma villosum (Pac)
- ACARINA:
Orthohalarachne diminuta (Pac)
- ANOPLURA:
Antarctophthirus microchir (Pac)
- FAMILY PHOCIDAE
- Erignathus barbatus* (Erxleben, 1777) - bearded seal
 Syn.: *Phoca barbata* Erxleben, 1777
- CESTOIDEA:
 Cestoidea gen. sp. (E Arc)
Diphyllobothrium cordatum (E Arc, W Arc)
Diphyllobothrium lanceolatum (Atl, E Arc, W Arc)
Diphyllobothrium sp. (E Arc, W Arc)
Diplogonoporus sp. (Atl)
Pyramicocephalus phocarum (E Arc, W Arc)
- NEMATODA:
Contracaecum osculatum (E Arc, W Arc)
 Nematoda gen. sp. (E Arc)
Pseudoterranova decipiens (E Arc)
Trichinella spiralis (E Arc)
- ACANTHOCEPHALA:
Corynosoma strumosum (E Arc)
Corynosoma validum (E Arc)
- Halichoerus grypus* (Fabricius, 1791) - gray seal
- NEMATODA:
 Anisakinae gen. sp. (Atl)
Anisakis sp. (Atl)
Contracaecum osculatum (Atl)
Contracaecum sp. (Atl)
Pseudoterranova decipiens (Atl)
- ACANTHOCEPHALA:
Corynosoma magdaleni (Atl)
- Phoca groenlandica* Erxleben, 1777 - harp seal
 Syn.: *Pagophilus groenlandicus* (Erxleben, 1777)
- CESTOIDEA:
Anophryocephalus anophrys (Atl)
Diphyllobothrium lanceolatum (Atl, E Arc)
Diphyllobothrium sp. (E Arc)
Diplogonoporus sp. (Atl)
- NEMATODA:
 Anisakinae gen. sp. (Atl)
Anisakis sp. (Atl)
Contracaecum osculatum (Atl, E Arc)
Contracaecum sp. (Atl)
Pseudoterranova decipiens (Atl, E Arc)
- ANOPLURA:
Echinophthirus horridus (Atl)
- Phoca hispida* Schreber, 1775 - ringed seal
 Syn.: *Pusa hispida* (Schreber, 1775)
- TREMATODA:
Orthosplanchnus arcticus (W Arc)
- NEMATODA:
Contracaecum osculatum (E Arc, W Arc)
Contracaecum sp. (E Arc)
Filaroides (Parafilaroides) hispidus (W Arc)
Phocascaris netsiki (E Arc)
Pseudoterranova decipiens (E Arc)
- ACANTHOCEPHALA:
Corynosoma reductum (E Arc)
Corynosoma strumosum (E Arc)
Corynosoma wegneri (E Arc)
- ANOPLURA:
Echinophthirus horridus (E Arc)
- Phoca vitulina concolor* De Kay, 1842 - harbor seal
- PROTOZOA (Apicomplexa):
Eimeria phocae (Atl)
- CESTOIDEA:
Anophryocephalus sp. (Atl)
- NEMATODA:
 Anisakinae gen. sp. (Atl)
Anisakis sp. (Atl)
Contracaecum osculatum (Atl, E Arc)
Contracaecum sp. (Atl)
Dipetalonema spirocauda (Atl)
Phocascaris netsiki (E Arc)
Pseudoterranova decipiens (Atl, E Arc)
- ACANTHOCEPHALA:
Corynosoma sp. (Atl)
- ANOPLURA:
Echinophthirus horridus (Atl)
- Phoca vitulina richardsi* (Gray, 1864) - harbor seal
- NEMATODA:
Contracaecum osculatum (Pac)
Pseudoterranova decipiens (Pac)
- ACANTHOCEPHALA:
Corynosoma strumosum (Pac)
- ANOPLURA:
Echinophthirus horridus (Pac)
- ACARINA:
Halarachne sp. (Pac)
- Records for pinnipeds of undetermined species
 “seal”
- NEMATODA:
Phocascaris netsiki (E Arc)
- “seals”
- NEMATODA:
Pseudoterranova decipiens (Atl, E Arc)

References

- AMIN, O. M. 1985. Classification, p. 27-72.
In D. W. T. Crompton and B. B. Nickol [ed.]
Biology of the Acanthocephala. Cambridge
University Press, London.
- ANDERSON, R. C. 1978. Keys to genera of the
superfamily Metastrongyloidea. *In* R. C.
Anderson, A. G. Chabaud, and S. Willmott
[ed.] CIH Keys to the nematode parasites of
vertebrates, No. 5, 40 p. Commonwealth
Agricultural Bureaux, Farnham Royal,
Bucks, England.
- ANDERSON, R. C., A. G. CHABAUD, and
S. WILMOTT [ed.]. 1974-1983. CIH Keys to
the nematode parasites of vertebrates, No. 1-10.
Commonwealth Agricultural Bureaux,
Farnham Royal, Bucks, England.
- ARNOLD, P. W., and D. E. GASKIN. 1975.
Lungworms (Metastrongyloidea: Pseudaliidae) of
harbor porpoise *Phocoena phocoena* (L. 1758).
Canadian Journal of Zoology 53: 713-735.
- BAER, J. G. 1954. Revision taxinomique et étude
biologique des cestodes de la famille des
Tetrabothriidae parasites d'oiseaux de haute
mer et de mammifères marins. Mémoire de
l'Université de Neuchatel, Série in-quarto,
No. 1: 121 p.
- BAIRD, W. 1853. Catalogue of the species of
Entozoa or intestinal worms contained in the
collection of the British Museum, London.
Woodfall and Kinder, London. 132 p.
- BANKS, R. C., R. W. McDIARMID, and A. L.
GARDNER. 1987. Checklist of vertebrates of
the United States, the U.S. Territories, and
Canada. United States Fish and Wildlife
Service, Resource Publication 166: 79 p.
- BERZIN, A. A., and L. P. VLASOVA. 1982.
Fauna of the Cetacea Cyamidae (Amphipoda)
of the world ocean, p. 149-164. *In* G. Pilleri
[ed.] Investigations on Cetacea, Vol. 13. Berne,
Switzerland.
- BIGG, M. A., and E. T. LYONS. 1981. Clinical
observations on three northern fur seal pups
treated with dichlorvos. Journal of the American
Veterinary Association 179: 1284-1286.
- BRODIE, P. F. 1971. A reconsideration of aspects
of growth, reproduction, and behaviour of the
white whale (*Delphinapterus leucas*), with
reference to the Cumberland Sound, Baffin
Island, population. Journal of the Fisheries
Research Board of Canada 28: 1309-1318.
- BROOKS, D. R., R. T. O'GRADY, and D. R.
GLEN. 1985. Phylogenetic analysis of the
Digenea (Platyhelminthes: Cercomeria) with
comments on their adaptive radiation.
Canadian Journal of Zoology 63: 411-443.
- BRUNEL, P. 1970. Catalogue d'invertébrés
benthiques du golfe Saint-Laurent recueillis de
1951 à 1966 par la Station de Biologie marine
de Grand-Rivière. Travaux sur les Pêcheries du
Québec. No. 32, 55 p.
- COOPER, A. R. 1921. Trematodes and cestodes of
the Canadian Arctic Expedition. Report of the
Canadian Arctic Expedition, 1913-18, No. 9,
Parts G-H: 1-27.
- CORNWALL, I. E. 1927. Some North Pacific
whale barnacles. Contributions to Canadian
Biology and Fisheries, New Series 3: 501-517.
1928. Collecting at Cachalot Whaling Station.
Canadian Field-Naturalist 42: 9-12.
1955. The barnacles of British Columbia.
British Columbia Provincial Museum. Depart-
ment of Education. Handbook No. 7: 69 p.
- COWAN, D. F. 1966. Pathology of the pilot whale
Globicephala melaena. A comparative survey.
Archives of Pathology 82: 178-189.
1967. Helminth parasites of the pilot whale
Globicephala melaena (Traill, 1809). Journal of
Parasitology 53: 166-167.
- DAILEY, M., and R. STROUD. 1978. Parasites
and associated pathology observed in cetaceans
stranded along the Oregon coast. Journal of
Wildlife Diseases 14: 503-511.
- DAVEY, J. T. 1971. A revision of the genus
Anisakis Dujardin, 1845 (Nematoda:
Ascaridata). Journal of Helminthology
45: 51-72.
- DOAN, K. H., and C. W. DOUGLAS. 1953.
Beluga of the Churchill region of Hudson Bay.
Bulletin of the Fisheries Research Board of
Canada 98: 27 p.
- DUNBAR, M. J. 1949. The Pinnipedia of the
Arctic and Subarctic. Bulletin of the Fisheries
Research Board of Canada 85: 22 p.
- FISHER, H. D. 1952. The status of the harbour
seal in British Columbia, with particular
reference to the Skeena River. Bulletin of the
Fisheries Research Board of Canada 93: 58 p.

- GIBSON, D.I. 1983. The systematics of ascaridoid nematodes .. a current assessment, p. 321-338. *In* A.R. Stone, H.M. Platt, and L.F. Khalil [ed.] Concepts in nematode systematics. Systematics Association Special Volume No. 22.
- GIBSON, D.I. 1987. Questions in digenean systematics and evolution. *Parasitology* 95: 429-460.
- GIBSON, D.I., and J.A. COLIN. 1982. The *Terranova* enigma. *Parasitology* 85: xxxvi-xxxvii.
- GIBSON, D.I., and E.A. HARRIS. 1979. The helminth-parasites of cetaceans in the collection of the British Museum (Natural History), p. 309-324. *In* G. Pilleri [ed.] Investigations on Cetacea, Vol. 10. Berne, Switzerland.
- GUIART, J. 1935. Cestodes parasites provenant des campagnes scientifiques de S.A.S. le Prince Albert I^{er} de Monaco (1866-1913). Résultats des Campagnes Scientifiques Accomplies sur son Yacht par Albert I^{er} Prince Souverain de Monaco, Fascicule 91: 115 p. + 5 plates.
- KENNEDY, M.J. 1986. *Filaroides (Parafilaroides) hispidus* n.sp. (Nematoda: Metastrongyloidea) from the lungs of the ringed seal, *Phoca hispida* (Phocidae), from the Beaufort Sea, Canada. *Canadian Journal of Zoology* 64: 1864-1868.
- KENYON, A.J., and B.J. KENYON. 1977. Prevalence of *Pharurus pallasii* in the beluga whale (*Delphinapterus leucas*) of Churchill River basin, Manitoba. *Journal of Wildlife Diseases* 13: 338-340.
- KUITUNEN-EKBAUM, E. 1954. Walrus meat as a source of trichinosis in Eskimos. *Canadian Journal of Public Health* 45: 30.
- LAMBERTSEN, R.H. 1985. Taxonomy and distribution of a *Crassicauda* species (Nematoda: Spirurida) infecting the kidney of the common fin whale (*Balaenoptera physalus* Linné, 1758). *Journal of Parasitology* 71: 485-488.
- LEUNG, Y.M. 1965. A collection of whale-lice (Cyamidae: Amphipoda). *Bulletin of the Southern California Academy of Sciences* 64: 132-143.
- LEVINE, N.D., J.O. CORLISS, F.E.G. COX, G. DEROUX, J. GRAIN, B.M. HONIGBERG, G.F. LEEDALE, A.R. LOEBLICH, III, J. LOM, D. LYNN, E.G. MERINFELD, F.C. PAGE, G. POLJANSKY, MERINFELD, F.C. PAGE, G. POLJANSKY, V. SPRAGUE, J. VAVRA, and F.G. WALLACE. 1980. A newly revised classification of the Protozoa. *Journal of Protozoology* 27: 37-58.
- LINCOLN, R.J., and D.E. HURLEY. 1974. Catalogue of the whale-lice (Crustacea: Amphipoda: Cyamidae) in the collection of the British Museum (Natural History). *Bulletin of the British Museum (Natural History)* 27: 65-72.
- LYONS, E. T., and M. A. BIGG. 1983. On the longevity of larvae of the hookworm *Uncinaria lucasi* in tissues of northern fur seals (*Callorhinus ursinus*). *Journal of Parasitology* 69: 442-443.
- LYSTER, L.L. 1940. Parasites of some Canadian sea mammals. *Canadian Journal of Research* 18D: 395-409.
- MACNEIL, A.C., J.L. NEUFELD, and W.A. WEBSTER. 1975. Pulmonary nematodiasis in a narwhal. *Canadian Veterinary Journal* 16: 53-55.
- MANSFIELD, A.W. 1963. Seals of Arctic and eastern Canada. *Bulletin of the Fisheries Research Board of Canada* 137: 30 p.
- MANSFIELD, A.W., and B. BECK. 1977. The grey seal in eastern Canada. Environment Canada, Fisheries and Marine Service Technical Report 704: 81 p.
- MARGOLIS, L. 1954. Three kinds of whale-lice (Cyamidae: Amphipoda) from the Pacific coast of Canada, including a new species. *Journal of the Fisheries Research Board of Canada* 11: 319-325.
1955. Notes on the morphology, taxonomy and synonymy of several species of whale-lice (Cyamidae: Amphipoda). *Journal of the Fisheries Research Board of Canada* 12: 121-133.
1956. Parasitic helminths and arthropods from Pinnipedia of the Canadian Pacific coast. *Journal of the Fisheries Research Board of Canada* 13: 489-505.
1959. Records of *Cyamus balaenopterae* Barnard and *Neocyamus physteris* (Pouchet), two species of whale-lice (Amphipoda), from the northeast Pacific. *Canadian Journal of Zoology* 37: 895-897.
- MARGOLIS, L., and J.R. ARTHUR. 1979. Synopsis of the parasites of fishes of Canada. *Bulletin of the Fisheries Research Board of Canada* 199: 269 p.

- MARGOLIS, L., and M.D. DAILEY. 1972. Revised annotated list of parasites from sea mammals caught off the west coast of North America. NOAA Technical Report NMFS SSRF-647. U.S. Department of Commerce, Seattle, Washington. 23 p.
- MARGOLIS, L., and G.C. PIKE. 1955. Some helminth parasites of Canadian Pacific whales. *Journal of the Fisheries Research Board of Canada* 12: 97-120.
- MARKOWSKI, S. 1952. The cestodes of pinnipeds in the Arctic and other regions. *Journal of Helminthology* 26: 171-214.
- MARTINEAU, D., A. LAGACÉ, R. MASSÉ, M. MORIN, and P. BÉLAND. 1985. Transitional cell carcinoma of the urinary bladder in a beluga whale (*Delphinapterus leucas*). *Canadian Veterinary Journal* 26: 297-302.
- McCLELLAND, G. 1976. *Terranova decipiens* (Nematoda: Anisakinae): course of infection and pathology in seal hosts. *Transactions of the American Microscopical Society* 95: 265.
- 1980a. *Phocanema decipiens*: molting in seals. *Experimental Parasitology* 49: 128-136.
- 1980b. *Phocanema decipiens*: growth, reproduction and survival in seals. *Experimental Parasitology* 49: 175-187.
- 1980c. *Phocanema decipiens*: pathology in seals. *Experimental Parasitology* 49: 405-419.
1982. *Phocanema decipiens* (Nematoda: Anisakinae): experimental infections in marine copepods. *Canadian Journal of Zoology* 60: 502-509.
- McCLELLAND, G., R.K. MISRA, and D.J. MARTELL. 1987. Temporal and geographical variations in abundance of larval sealworm, *Pseudoterranova (Phocanema) decipiens*, in the fillets of American plaice (*Hippoglossoides platessoides*) in eastern Canada: 1985-86 surveys. *Canadian Technical Report of Fisheries and Aquatic Sciences* 1513: 15 p.
- McCLELLAND, G., and K. RONALD. 1970. The in vitro growth and development of the early larval stages of the codworm, *Terranova decipiens*. *Canadian Journal of Zoology* 48: 198-199.
- McCLELLAND, G., and K. RONALD. 1974. In vitro development of *Terranova decipiens* (Nematoda) (Krabbe, 1878). *Canadian Journal of Zoology* 52: 471-479.
- MONTREUIL, P.L. 1958. *Corynosoma magdaleni* sp. nov. (Acanthocephala), a parasite of the gray seal in eastern Canada. *Canadian Journal of Zoology* 36: 205-215.
- MONTREUIL, P.L., and K. RONALD. 1957. A preliminary note on the nematode parasites of seals in the Gulf of the St. Lawrence. *Canadian Journal of Zoology* 35:495.
- MUELLER, J.F. 1927a. The excretory system of *Anisakis simplex*. *Zeitschrift für Wissenschaftliche Biologie, Abt. B. Zeitschrift für Zellforschung und mikroskopische Anatomie* 5: 495-504.
- 1927b. The excretory system of *Anisakis simplex*. *Journal of Parasitology* 13: 222.
- MYERS, B.J. 1957a. Nematode parasites of seals in the eastern Canadian Arctic. *Canadian Journal of Zoology* 35: 291.
- 1957b. Ascaroid parasites of harp seals (*Phoca gröenlandica* Erxleben) from the Magdalen Islands, Quebec. *Canadian Journal of Zoology* 35: 291-292.
1959. Lice on *Phoca hispida* Schreber. *Canadian Journal of Zoology* 37: 1123.
1960. On the morphology and life history of *Phocanema decipiens* (Krabbe, 1878) Myers, 1959 (Nematoda: Anisakidae). *Canadian Journal of Zoology* 38: 331-344.
- NEWMAN, M.A., and P.L. McGEER. 1966. The capture and care of a killer whale, *Orcinus orca*, in British Columbia. *Zoologica, New York* 51: 59-70.
- RAUSCH, R.L., and F.H. FAY. 1966. Studies on the helminth fauna of Alaska. XLIV. Revision of *Ogmogaster* Jägerskiöld, 1891, with a description of *O. pentalineatus* sp. n. (Trematoda: Notocotylidae). *Journal of Parasitology* 52: 26-38.
- RAUSCH, R.L., and L. MARGOLIS. 1969. *Plicobothrium globicephalae* gen. et sp. nov. (Cestoda: Diphyllbothriidae) from the pilot whale, *Globicephala melaena* Traill, in Newfoundland waters. *Canadian Journal of Zoology* 47: 745-750.

- RONALD, K., E. JOHNSON, M. FOSTER, and D. VANDER POL. 1970. The harp seal, *Pagophilus groenlandicus* (Erxleben, 1777). I. Methods of handling, molt, and diseases in captivity. Canadian Journal of Zoology 48: 1035-1040.
- SCHMIDT, G.D. 1986. Handbook of tapeworm identification. CRC Press, Boca Raton, Florida. 675 p.
- SCOTT, D.M. 1950. A preliminary report on the cod-worm investigation. Fisheries Research Board of Canada Atlantic Progress Report No. 48: 10-12.
1953. Experiments with the harbor seal, *Phoca vitulina*, a definitive host of a marine nematode, *Porrocaecum decipiens*. Journal of the Fisheries Research Board of Canada 10: 539-547.
1955. On the early development of *Porrocaecum decipiens*. Journal of Parasitology 41: 321-322.
- SCOTT, D.M., and W.F. BLACK. 1960. Studies on the life-history of the ascarid *Porrocaecum decipiens* in the Bras d'or lakes, Nova Scotia, Canada. Journal of the Fisheries Research Board of Canada 17: 763-774.
- SCOTT, D.M., and H.D. FISHER. 1958a. Incidence of a parasitic ascarid, *Porrocaecum decipiens*, in the common porpoise, *Phocoena phocoena*, from the lower Bay of Fundy. Journal of the Fisheries Research Board of Canada 15: 1-4.
- 1958b. Incidence of the ascarid *Porrocaecum decipiens* in the stomachs of three species of seals along the southern Canadian Atlantic mainland. Journal of the Fisheries Research Board of Canada 15: 495-516.
- SERGEANT, D.E. 1962. The biology of the pilot or pothead whale *Globicephala melaena* (Traill) in Newfoundland waters. Bulletin of the Fisheries Research Board of Canada 132: 84 p.
- SERGEANT, D.E., and H.D. FISHER. 1957. The smaller Cetacea of eastern Canadian waters. Journal of the Fisheries Research Board of Canada 14: 83-115.
- SHAUGHNESSY, P.D., and F.H. FAY. 1977. A review of the taxonomy and nomenclature of the North Pacific harbour seals. Journal of Zoology, London 182: 385-419.
- SMITH, F.R., and W. THRELFALL. 1973. Helminths of some mammals from Newfoundland. American Midland Naturalist 90: 215-218.
- SOLEIM, O. 1984. A synopsis of the genera *Thynnascaris* and *Contraecum* (Nematoda, Ascaridoidea) with an emendation of the generic definitions. Acta Parasitologica Polonica 29: 85-96.
- SPENCER, G.J. 1966. Anoplura from British Columbia and some adjacent areas. Journal of the Entomological Society of British Columbia 63: 23-30.
- STUNKARD, H.W. 1948. Pseudophyllidean cestodes from Alaskan pinnipeds. Journal of Parasitology 34: 211-228.
- VAN CLEAVE, H.J. 1953a. A preliminary analysis of the acanthocephalan genus *Corynosoma* in mammals of North America. Journal of Parasitology 39: 1-13.
- 1953b. Acanthocephala of North American mammals. Illinois Biological Monographs 23: 179 p.
- VLADYKOV, V.D. 1944. Etudes sur les mammifères aquatiques. III. - Chasse, biologie et valeur économique du Marsouin Blanc ou Béluga (*Delphinapterus leucas*) du fleuve et du golfe Saint-Laurent. Département des Pêcheries, Québec. Contribution No. 14: 194 p.
- WAZURA, K.W., J.T. STRONG, C.L. GLENN, and A.O. BUSH. 1986. Helminths of the beluga whale (*Delphinapterus leucas*) from the Mackenzie River delta, Northwest Territories. Journal of Wildlife Diseases 22: 440-442.
- WARDLE, R.A., J.A. McLEOD, and I.E. STEWART. 1947. Lühe's "*Diphyllobothrium*" (Cestoda). Journal of Parasitology 33: 319-330.
- WEBSTER, W.A., J.L. NEUFELD, and A.C. MacNEILL. 1973. *Halocercus monoceris* sp. n. (Nematoda: Metastrongyloidea) from the narwhal, *Monodon monoceros*. Proceedings of the Helminthological Society of Washington 40: 255-258.
- WILSON, T.M. and P.H. STOCKDALE. 1970. The harp seal, *Pagophilus groenlandicus* (Erxleben, 1777). XI. *Contraecum* sp. infestation in a harp seal. Journal of Wildlife Diseases 6: 152-154.

INDEX

Parasites

	Page		Page
Acanthocephala	11	<i>Corynosoma validum</i>	11
Acarina	13	<i>Corynosoma villosum</i>	12
Adenophorea	7	<i>Corynosoma wegeneri</i>	12
Amphipoda	12	<i>Corynosoma</i> spp.	12
Ancylostomatidae	9	<i>Crassicauda boopis</i>	9
Ancylostomatoidea	9	<i>Crassicauda pacifica</i>	
Anisakidae	7	see <i>Crassicauda boopis</i>	
Anisakinae gen. sp.	9	<i>Crassicauda</i> sp.	9
<i>Anisakis physeteris</i>	7	see also <i>Pharurus pallasii</i>	
<i>Anisakis simplex</i>	7	Crustacea	12
<i>Anisakis</i> sp.	8	Cyamidae	12
<i>Anophryocephala</i> sp.		<i>Cyamus balaenopterae</i>	12
see <i>Anophryocephalus</i> sp.		<i>Cyamus boopis</i>	12
<i>Anophryocephalus anophrys</i>	7	<i>Cyamus catodontis</i>	12
<i>Anophryocephalus</i> sp.	7	<i>Cyamus ceti</i>	12
Anoplura	13	<i>Cyamus erraticus</i>	12
<i>Antarctophthirus microchir</i>	13	<i>Cyamus monodontis</i>	12
<i>Antarctophthirus trichechi</i>	13	<i>Cyamus nodosus</i>	12
Apicomplexa	5	<i>Cyamus ovalis</i>	12
Arachnoidea	13	<i>Cyamus scammoni</i>	13
Arthropoda	12	<i>Cyamus</i> sp.	13
Ascaridida	7	Cyclophyllidea	7
Ascaridoidea	7		
<i>Ascaris osculata</i>		Digenea	5
see <i>Contraecacum osculatum</i>		<i>Dipetalonema spirocauda</i>	9
		Diphyllobothriidae	6
<i>Bolbosoma capitatum</i>	11	<i>Diphyllobothrium cordatum</i>	6
<i>Bolbosoma turbinella</i>	11	<i>Diphyllobothrium lanceolatum</i>	6
<i>Bolbosoma</i> sp.	11	<i>Diphyllobothrium pacificum</i>	6
<i>Bothriocephalus anthocephalus</i>		<i>Diphyllobothrium</i> spp.	6
see <i>Pyramicocephalus phocarum</i>		<i>Diplogonoporus tetrapterus</i>	6
		<i>Diplogonoporus</i> sp.	6
<i>Campula oblonga</i>	5	Echinophthiriidae	13
Campulidae	5	Echinophthiriidae gen. sp.	
Cestoidea	6	see <i>Echinophthirus horridus</i>	
Cestoidea gen. sp.	7	<i>Echinophthirus horridus</i>	13
Coccidia	5	Echinostomatiformes	5
<i>Contraecacum osculatum</i>	8	<i>Eimeria phocae</i>	5
<i>Contraecacum</i> spp.	8	Eimeriidae	5
Copepoda	12	Eimeriina	5
<i>Cordicephalus phocarum</i>		Enoplida	7
see <i>Diphyllobothrium lanceolatum</i> and		Entomostraca	12
<i>Diplogonoporus</i> sp.		Eucoccidiida	5
<i>Corynosoma cameroni</i>	11	Eucestoda	6
<i>Corynosoma hadweni</i>			
see <i>Corynosoma wegeneri</i>		Fascioloidea	5
<i>Corynosoma magdaleni</i>	11	Filarioidea	9
<i>Corynosoma reductum</i>	11	Filaroididae	10
<i>Corynosoma semerme</i>		<i>Filaroides (Parafilaroides) hispidus</i>	10
see <i>Corynosoma strumosum</i> and		<i>Filaroides (Parafilaroides)</i> sp.	10
<i>Corynosoma validum</i>			
<i>Corynosoma (?) similis</i>	1,12	Habronematoidea	9
<i>Corynosoma strumosum</i>	11	<i>Hadwenius nipponicus</i>	5

	Page		Page
<i>Hadwenius seymouri</i>	5	Phyllobothriidae	6
<i>Halarachne</i> sp.	13	<i>Phyllobothrium delphini</i>	6
Halarachnidae	13	<i>Phyllobothrium</i> sp.	7
<i>Halocercus inflexicaudatus</i>		<i>Placentonema gigantissima</i>	9
see <i>Halocercus invaginatus</i>		<i>Platycomus</i> sp.	13
<i>Halocercus invaginatus</i>	10	Platyhelminthes	5
<i>Halocercus monoceris</i>	10	<i>Plicobothrium globicephalae</i>	6
<i>Halocercus taurica</i>	10	Polymorphidae	11
<i>Halocercus</i> sp.	10	Polymorphida	11
Insecta	13	<i>Porrocaecum decipiens</i>	
<i>Irukanema dalli</i>		see <i>Pseudoterranova decipiens</i>	
see <i>Torynurus dalli</i>		Protozoa	5
<i>Isocyamus delphini</i>	13	Pseudaliidae	10
<i>Lecithodesmus goliath</i>	5	<i>Pseudalius inflexus</i>	10
<i>Lecithodesmus spinosus</i>	5	Pseudophyllidea	6
<i>Leucasiella arctica</i>	5	<i>Pseudostenurus</i> sp.	
Malacostraca	12	see <i>Pharurus</i> sp.	
Metastrongyloidea	10	<i>Pseudoterranova decipiens</i>	9
Nemathelminthes	7	Pterygota	13
Nematoda	7	<i>Pyramicocephalus phocarum</i>	6
Nematoda gen. sp.	11	Sarcocystidae	5
<i>Neocyamus physteris</i>	13	<i>Sarcocystis</i> sp.	5
Notocotylidae	5	Secernentea	7
Notocotylloidea	5	Siphonostomatoida	12
<i>Ogmogaster antarcticus</i>	5	Spirurida	9
<i>Ogmogaster plicatus</i>	5	Sporozoa	5
Onchocercidae	9	<i>Stenurus arcticus</i>	
<i>Orthohalarachne attenuata</i>	13	see <i>Pharurus pallasii</i>	
<i>Orthohalarachne diminuta</i>	13	<i>Stenurus arctomarinus</i>	10
<i>Orthosplanchmus arcticus</i>	5	<i>Stenurus globicephalae</i>	11
Palaeacanthocephala	11	<i>Stenurus minor</i>	11
<i>Paracyamus boopis</i>		Strongylida	9
see <i>Cyamus boopis</i>		<i>Terranova decipiens</i>	
<i>Parafilaroides</i> sp.		see <i>Pseudoterranova decipiens</i>	
see <i>Filaroides (Parafilaroides)</i> sp.		Tetrabothriidae	7
Paramphistomiformes	5	Tetrameridae	9
<i>Pennella balaenopterae</i>	12	Tetraphyllidea	6
Pennellidae	12	<i>Torynurus convolutus</i>	11
<i>Pharurus alatus</i>	10	<i>Torynurus dalli</i>	11
<i>Pharurus pallasii</i>	10	Trematoda	5
<i>Pharurus</i> sp.	10	<i>Trichinella spiralis</i>	7
<i>Phocanema decipiens</i>		Trichinellidae	7
see <i>Pseudoterranova decipiens</i>		Trichinelloidea	7
<i>Phocascaris netsiki</i>	8	<i>Trigonocotyle lintoni</i>	7
<i>Phocascaris</i> sp.		<i>Uncinaria lucasi</i>	10
see <i>Contracaecum</i> spp.			

INDEX

Hosts

	Page		Page
<i>Balaena glacialis</i>	18	<i>Megaptera novaeangliae</i>	18
? <i>Balaena mysticetus</i>	18	<i>Megaptera versabilis</i>	
Balaenidae	18	<i>see Megaptera novaeangliae</i>	
<i>Balaenoptera acutorostrata</i>	18	<i>Monodon monoceros</i>	17
<i>Balaenoptera borealis</i>	18	Monodontidae	17
<i>Balaenoptera physalus</i>	18	Mysticeti	18
<i>Balaenoptera velifera</i>			
<i>see Balaenoptera physalus</i>		Odobenidae	18
<i>Balaenoptera</i> sp.	18	<i>Odobenus rosmarus</i>	18
Balaenopteridae	18	Odontoceti	17
<i>Berardius bairdii</i>	18	<i>Orcinus orca</i>	17
		Otariidae	18
<i>Callorhinus ursinus</i>	18		
Carnivora	18	<i>Pagophilus groenlandicus</i>	
Cetacea	17	<i>see Phoca groenlandica</i>	
		<i>Phoca barbata</i>	
<i>Delphinapterus leucas</i>	17	<i>see Erignathus barbatus</i>	
Delphinidae	17	<i>Phoca groenlandica</i>	19
		<i>Phoca hispida</i>	19
<i>Erignathus barbatus</i>	19	<i>Phoca vitulina concolor</i>	19
Eschrichtidae	18	<i>Phoca vitulina richardsi</i>	19
		Phocidae	19
<i>Eschrichtius gibbosus</i>		<i>Phocoena phocoena</i>	17
<i>see Eschrichtius robustus</i>		Phocoenidae	17
<i>Eschrichtius glaucus</i>		<i>Phocoenoides dalli</i>	17
<i>see Eschrichtius robustus</i>		<i>Physeter catodon</i>	17
<i>Eschrichtius robustus</i>	18	<i>Physeter macrocephalus</i>	
<i>Eubalaena glacialis japonica</i>		<i>see Physeter catodon</i>	
<i>see Balaena glacialis</i>		Physeteridae	17
<i>Eumetopias jubatus</i>	18	<i>Pseudorca crassidens</i>	17
		<i>Pusa hispida</i>	
<i>Globicephala melaena</i>	17	<i>see Phoca hispida</i>	
<i>Grampus griseus</i>	17		
		<i>Rachianectes glaucus</i>	
<i>Halichoerus grypus</i>	19	<i>see Eschrichtius robustus</i>	
<i>Lagenorhynchus albirostris</i>	17		
		Unidentified seals	19
<i>Megaptera nodosa</i>			
<i>see Megaptera novaeangliae</i>		Ziphiidae	18





N.L.C. - B.N.C.



3 3286 08868278 2